







# **PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

Executed Petitions

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Todd Grove	12493 800 <sup>th</sup> Ave Glenville 56036
	Curtis Aldrich	10871 755 AV Glenville 56036
	Collin Johnson	81310 110st Glenville MN 56036
	Nick Olson	80860 110 <sup>st</sup> Glenville MN 56036
	Allison Olson	12225 810 <sup>th</sup> Ave Glenville, MN 56036
	TONY THOMPSON	14644 810 AVE GLENVILLE 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Julie K. Walk	15006 <del>8</del> 850 <sup>th</sup> Ave Glenville mn <sup>56036</sup>
	Brian Walk	15026 850 <sup>th</sup> Ave Glenville mn. <sup>56036</sup>
	Dan Mittag	84849 120 <sup>th</sup> St Glenville MN 56036
	D. Mittag	84849 120 <sup>th</sup> St Glenville MN 56036
	Dorene Hansen	12174 840 <sup>th</sup> Ave Glenville MN 56036
	Trent Studier	266 Luella Pl NE Stewartville MN

559710

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Rachel Studier	206 Luella PL NE Stewartville, MN 55976
	Kelly Groess	1117 S SHORE DR. Albert Lea, MN 56007
	Crystal Studier	308 Independence Ave Clarks Grove MN 56016
	Grady Studier	610 Oak Lane Albert Lea MN 56007
	SEAN GASTON	11133 850 <sup>TH</sup> AVE GLENVILLE, MN 56036
	Heidi J. Gaston	11133 850 <sup>TH</sup> Ave Glenville, MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Karol Hansen	718 6 <sup>th</sup> Ave NE, Waseca, MN 56093
	Cody Hansen	1023 Stryker Ave, West St. Paul, MN 55118
	Stacey Hansen	59842 245 <sup>th</sup> Ave Mantorville MN 55945
	Dianne Johns	718 6 <sup>th</sup> Ave NE Waseca, MN 56093
	Rachel Hansen	1023 Stryker Ave, West St. Paul, MN 55118
	Jacob Hansen	87709 145 <sup>th</sup> Street Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Vicki Hansen	24855 770 <sup>th</sup> Ave Albert Lea MN 56007
	Jana Bonnerup	21275 Ridgewood Trl, Lakeville, MN 55044
	Karen Hansen	86472 145 <sup>th</sup> St, Glenville MN 56036
	Matthew Bonnerup	21275 Ridgewood Trl Lakeville MN 55044
	PAUL BONNERUP	700 COUNTRY EST. SEW STEWARTVILLE, MN 55976
	JOHN SZYMECZEK	12742 850 <sup>th</sup> AVE GLENVILLE, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Lucas Hansen	4620 Heights Dr. Minneapolis, MN 55421
	Megan Hansen	59842 245 <sup>th</sup> Ave Monticello, MN 55955
	Lauren Hansen	5139 Upper 182nd St W Farmington MN 55024
	Abigail Hansen	7620 Heights Dr. Minneapolis, MN 55421
	Dan Hansen	59842 245 Ave Monticello MN 55955
	Mary Bonnerup	700 Co. Estate Ct SE Stewartville, MN 55976



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Christine Lau	84428 120 <sup>th</sup> St Glenville MN 56036
	Tim Ellingson	14406 795 <sup>th</sup> Glenville MN 56036
	Michael Lau	84428 120 <sup>th</sup> St Glenville MN 56036
	Cora Lau	84428 120 <sup>th</sup> St. Glenville. MN 56036
	Don Lau	10292 530 <sup>th</sup> Ave Glenville MN 56036
	Michael Hansen	12174 840 <sup>th</sup> Ave. Glenville Mn 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org




We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Jasmine J Hansen	87709 145 <sup>th</sup> St Glenville MN 56036
	Peter Hansen	2735 Marshall St. NE Minneapolis MN 55418
	Karen Nelson	3003 18 <sup>th</sup> Ave SW Rochester MN 55902
	Paul Hansen	86472 145 <sup>th</sup> St Glenville MN 56036
	Cory Hansen	5139 Upper 182 <sup>nd</sup> St W, Farmington MN 55024
	Corben Hansen	59842 245 <sup>th</sup> Ave. Monteville, MN 55955

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org





We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Jennifer Szymeczek	12742 850 <sup>th</sup> Ave, Glenville, MN 56036
	CHARLES CLARKE	12713 850 <sup>th</sup> AVE GLENVILLE MN 56036
	Trice Studier	73726 180 <sup>th</sup> St. Albert Lea MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Danielle Bakken	1019 Frank Handrick Albert Lea MN 56007
	Corey Bakken	1019 Frank Hall Dr. Albert Lea, MN 56007
	Lindy Fredrickson	17566 850 <sup>th</sup> Ave Glenville, MN 56036
	Adam Fredrickson	17566 850 <sup>th</sup> Ave Glenville, MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Kathy Thompson	14644 810 <sup>th</sup> Avenue, Glenville, MN 56036
	JERRY WESTRUM	16437 803 <sup>rd</sup> Ave Glenville MN 56036
	Jerry Westrum	6310 Ashou Ave, Northfield, MN 55057
	Sue Westrum	16437 803 <sup>rd</sup> Ave Glenville, MN 56036
JAY CRABTREE 	JAY CRABTREE	906 STANLEY AV ALBERT LEA, MN 56007
Danna Wright 	Danna Wright	81851 150 <sup>th</sup> St. Glenville MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Kelsey Lembke	Po Box 133 Blooming Prairie MN 55417
	Megan Boullion	56837 180 <sup>th</sup> St Austin MN 55912
	Cara Soukup	6808 5 <sup>th</sup> Ave. S., Richfield, MN 55423
	Charlie Soukup	6808 5 <sup>th</sup> Ave. S. Richfield, MN 55423
	Becky Tews	12494 850 <sup>th</sup> Ave Glenville MN 56036
	Holly Clarke	12713 850 <sup>th</sup> Ave Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org





We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	STEPHANIE RICHTER	12033 840 <sup>th</sup> Ave Glenville 56036
	Eric Richter	12033 840 <sup>th</sup> Ave Glenville Mn 56036
	Gary Richter	12033 840 <sup>th</sup> Ave Glenville mn 56036
	Greg Nelson	11589 870 <sup>th</sup> Ave Glenville Mn 56036
	Kathy Nelson	11589 870 <sup>th</sup> Glenville, MN 56036
	Gregg Koch	11960 860 <sup>th</sup> Glenville mn 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been efiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Cindy Lunning-Armon	18065 820th Ave Hayward MN 56043
	Carla Knutson	81498 175th St. Hayward MN 56043
	Kathy Schleder	905 Maple Hill Dr. Albert Lea, MN 56007
	Rose Tobin	905 Maple Hill Dr. Albert Lea MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Brenda Koch	11960 860 <sup>th</sup> Ave Glenville mn 56036
	Kenny Koch	12079 860 <sup>th</sup> ave Glenville, MN 56036
	Mavisia Hill	12079 860 <sup>th</sup> Ave Glenville, MN 56036
	Henry L. Tews	12194 630 <sup>th</sup> Ave Glenville, MN 56036
	REBECCA SENNE	84676 140 <sup>th</sup> St. Glenville, MN 56036
	ROLAND SENNE	84676 140 <sup>th</sup> St Glenville, MN 56036



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Zachary Adams	82060 150 <sup>th</sup> St. Glenville, MN 56036
	Daniel Studier	441 1 <sup>st</sup> St. SW Glenville MN 56036
	Matthew Moller	80679 160 <sup>th</sup> St. Glenville, MN 56036
	ANGELA MOLLER	80679 160 <sup>th</sup> ST, GLENVILLE, MN 56036
	Gordon Ramsey	1830 Michael Pl. A. Glenville MN 56036
	Beth Steene	905 Maplehill Dr Apt 612 Albert Lea MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been efiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Judy Kay Olson	81802 160 <sup>th</sup> St, Glenville, MN 56036
	Brian Dean Olson	81802 160 <sup>th</sup> St. Glenville, MN 56036
	Kim Schrader	81874 160 <sup>th</sup> St. Glenville, MN 56036
	Gary Westlund	82120 165 <sup>th</sup> St Glenville MN 56036
	Christine D. Westlund	82120 165 <sup>th</sup> St Glenville MN 56036
	Ronald Schrader	81874 160 <sup>th</sup> St Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Krista M. Reeder	79841 170th St. Glenville, MN 56036
	Julie B. Meyer	<del>12223</del> 800th Ave AL, MN 56007
	Tim Kirsch	12223 800 Av. AL, MN 56007
	Brandon Kirsch	625 South Walnut Awatonna, MN 55060
	Jayne Christensen	82296 180th St. Hayward, MN 56043
	Robert Chinn	18065 820th Av Hayward, MN 56043



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Sherry Adams	81870 150 <sup>th</sup> St. Glenville, MN 56036
	DEAN HOARTS	81870 150 <sup>th</sup> Glenville MN 56036
	Kevin Weitzel	15782 820 <sup>th</sup> Ave Glenville MN 56036
	Denise Weitzel	15782 820 <sup>th</sup> Ave Glenville, MN 56036
	Amanda Wilson	201 8 <sup>th</sup> St. N Mountain Lake, MN 56159
	Colin Wilson	201 8 <sup>th</sup> St N Mountain Lake, MN 56159



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400, Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Jillayne Raven	542 meadow LN Albert Lea, MN 56007
	Samantha Utzka	2329 Margaretha Ave A-L, MN 56007
	Nissa Gregerson	1905 Grand Ave, Albert Lea, MN 56007
	Ramona Reicherts	86690 130 <sup>th</sup> St Glenville MN 56036
	Rashelle Reicherts	168351 270 <sup>th</sup> St Alden MN 56009
	Shyla Reicherts	86690 130 <sup>th</sup> St Glenville MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	GARY Peterson	18030 820 <sup>th</sup> Ave Hayward MN 56043
	Linda Peterson	18030 820 <sup>th</sup> Ave Hayward 56043
	Patricia Grebrik	16330 810 <sup>th</sup> Ave Glenville MN 56036
	Dwight Grebrik	16330 810 <sup>th</sup> Ave Glenville MN 56036
	Garnys Nelson	81380 160 <sup>th</sup> St. Glenville MN 56036
	Sherrri Johannsen	711 Alcove St A. Leo MN 56007

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits, County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Stanley J. Schoolcraft	12360 820 <sup>th</sup> Ave - Glenville MN 56036
	Curtis Larson Jr.	82702 185 <sup>th</sup> St Hayward, Mn 56043
	Natalie Larson	82702 185 <sup>th</sup> St. Hayward, MN 56043
	JEFFERY S ENGLIN	82114 185 <sup>th</sup> St Hayward, MN 56043
	Jeffere Alice A Englin	82114 185 <sup>th</sup> St. Hayward MN 56043
	Anna Englin	82114 185 <sup>th</sup> St. Hayward, MN 56043



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the Energy Forward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Robert Lee VanPelt	18067 860 <sup>th</sup> Ave Austin, MN 55912
	Jodi Lynn VanPelt	18067 860 <sup>th</sup> Ave Austin, MN 55912
	Nicholas Michael Brandt	3550 8th Ave S Moorhead, MN 56500
	Adriana Nicole Gonzalez	3550 8th Ave S Apt 303 Moorhead, MN 56500
	MICHAEL BRANDT	2600 6TH AVE NW AUSTIN MN 55912
	Bill Baumgarner	89699 185 <sup>th</sup> St Austin MN 55912

PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	RENA LANGOWSKI	19960 900 <sup>th</sup> Ave. Austin, MN 55912
	Lawrence Langowski	19960 900 <sup>th</sup> Ave Austin MN 55912
	PAUL VAN PELT	20527 900 <sup>th</sup> AVE AUSTIN, MN. 55912
	Mike VanPelt	19933 900 <sup>th</sup> Ave Scastan Mn. 55912
	Mary VanPelt	20527 900 <sup>th</sup> Ave Austin, MN 55912
	Sue VanPelt	19933 900 <sup>th</sup> Ave Austin, MN 55912

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements FOR environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (1/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
Wayne L. Brandt	Wayne Brandt	88141 180th St Austin MN 55912
Cheryl A. Brandt	Cheryl A. Brandt	88141 180 St Austin MN 55912
LeRoy W. Brandt	LeRoy W. BRANDT	18271 Mower Freeborn Rd, Austin MN, 55912
Shirley M. Brandt	Shirley M. Brandt	18271 Mower Freeborn Rd Austin MN 55912
Steven M. Knox	Steven M. Knox	88867 185 St. Austin, MN 55912
Beverly Prantner	Beverly Prantner	89304 185 <sup>th</sup> St Austin, MN, 55912



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	DONALD R CHAPEK	89114 170 <sup>th</sup> St Austin Minn 55912
	ARLENE C. CHAPEK	89114 170 <sup>th</sup> St Austin MN 55912
	Sandy Chapek	88392 170 <sup>th</sup> St. Austin MN 55912
	JOHN CHAPEK	668392 170 <sup>th</sup> ST AUST. N. MN 55912
	Donald Jacobson	89167 170 <sup>th</sup> St. Austin, MN, 55912
	Brooke Erickson	89167 170 <sup>th</sup> St Austin MN 55912

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org



We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.0514 mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements FOR environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the Energy Forward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
Jane Carlson	Jane Carlson	89699 185 <sup>th</sup> St Austin MN 55912
Wendy L Brandt	Wendy L Brandt	2600 46th Ave NW Austin MN 55912
Steven Reese	Steven Reese	12258 870 Ave Austin Mn 55912
Connie Brandt	Connie Brandt	87175 170 <sup>th</sup> St Austin MN 55912
Julie A. Knox	Julie A. Knox	88867, 185 <sup>th</sup> St, Austin MN 55912, 6261

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements FOR environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Monty Thoms	12844 800 <sup>th</sup> Av. Glenville mn 56036
	Todd Thoms	12844 800 <sup>th</sup> Av. Glenville mn 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	MaryAnn Thompson	13187 795 Ave. Glenville, Mn. 56036
	MARVIN H THOMPSON	13187 795 Ave. Glenville, Mn. 56036
	Trenton Thoms	510 W main st Glenville MN, 56036
	Nadean Thoms	510 W main St Glenville, MN 56036
	Jackie Thompson	110 7th St. SE Glenville, MN 56036
	Mark Thompson	110 7th St SE. Glenville Mn

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	MARSHALL HALVORSEN	2415 9 <sup>th</sup> Ave SW Austin MN 55912
	Linda Halvorsen	2415 9 <sup>th</sup> Ave SW Austin, MN 55912
	Lalonne Husemoller	1601 29 <sup>th</sup> St. S.W. Austin MN. 55912
	Janice Benesh	85821 173 <sup>rd</sup> St. Austin MN 55912
	James Benesh	85821 173 <sup>rd</sup> St. Austin, Mn 55912
	Ray Bremseth	210 3 <sup>rd</sup> Ave S.W. Glenville, MN 56036

all

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**


Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
Elaine Monson	Elaine Monson	2113 Weston Place Rochester, MN 55902
Dave Monson	Dave Monson	2113 Weston Place Rochester, MN 55902
Michelle Wolfe	Michelle Wolfe	9423 Lemond Rd. Elkndale, MN 56026
Mike Wolfe	Mike Wolfe	9423 Lemond Rd. Elkndale, MN 56026
Lisa Bucher	Lisa Bucher	11414 730 <sup>th</sup> St. Blooming Prairie, MN 55917
Scott Bucher	Scott Bucher	11414 730 <sup>th</sup> St. Blooming Prairie, MN 55917



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org






We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Alexandra Schumacher	13121 B30 <sup>th</sup> Ave Glenville, Mn 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Clark Erickson	81610 140 <sup>th</sup> St Glenville MN 56036
	Lori Erickson	81610 140 <sup>th</sup> St Glenville MN 56036
	Dawn Kaasa	81025 140 <sup>th</sup> St Glenville MN 56036
	TIMOTHY KAASA	81025 140 <sup>th</sup> St. Glenville MN 56036
	Neil Meincke	12570 840 <sup>th</sup> Ave. Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Steve Meinke	12570 890AV Glenville MN 56036
	DAVID GREIBROK	89409 110th St Lyle MN 55953
	LeRoy Baseman	79824-172 <sup>st</sup> Glenville mn 56036
	Carl Kiefer	80580 170th St Glenville MN 56036
	Russel TORLOFF	810th Ave Glenville MN 56036
	Mike Baseman	20674 790Av Albert Lea MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org



We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Lynnel Lorenzen	13337 870 <sup>th</sup> Ave. Glenville MN 56036
	Eric Lorenzen	13337 870 <sup>th</sup> Ave Glenville MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
	Erin L. Hornberger	87340 135 <sup>th</sup> St. Glenville MN 56036
	Tracy Hornberger	87340 135 <sup>th</sup> St. Glenville MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
<i>Judy K. Stille</i>	Judy K. Stille	440 Hillcrest Rd Glenville, MN 56036
<i>Bill Stille</i>	Bill Stille	440 Hillcrest Rd Glenville MN 56036
<i>Rebecca Kluender</i>	Becky Kluender	80268 River Rd. Glenville, MN 56036
<i>Judd Kluender</i>	Judd Kluender	80268 River Road Glenville, MN 56036
<i>Kennedy Sweetser</i>	Kennedy Sweetser	12047 870 <sup>th</sup> Ave Glenville, MN 56036






⑧



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/A1-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Kirk Sanner	26133 665 <sup>th</sup> Ave Alden mn 56009
	Scott Bellrichard	1405 7 <sup>th</sup> St. N.W. Austin, MN 55912
	Brent Tweed	20626 816 <sup>th</sup> Ave Hayward MN 56043
	Greg Grouc	72616 220 <sup>th</sup> St Albert Lea MN 56007
	Dacia Bottelsohn	85726 140 <sup>th</sup> St Glenville MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/A1-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Paula Goslee	50050 140 St Austin, MN 55912
	Larry Goslee	50050 140 St Austin, MN 55912
	Logan Goslee	90568 140 St Glenville, MN 56036
	Justin Goslee	12363 900 <sup>th</sup> Ave Glenville, MN 56036
	Barbara Goslee	12363 900 <sup>th</sup> Avenue Glenville, MN 56036
	Ellen Goslee	90568 140th Street Glenville, MN 56036
	Anne Goslee	90568 140 <sup>th</sup> St Glenville, MN 56036

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400, Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Michelle Severson	12047-870 <sup>th</sup> Ave., Glenville, MN 56036
	Michael Severson	321 5 <sup>th</sup> St SE #2 Glenville, MN 56036
	Alayna Rohne	88080 State Line Rd. Glenville, MN 56036
	Matthias Rohne	88080 State Line Rd. Glenville, MN 56036
	Sandra Johnson	87415 130 <sup>th</sup> St Glenville, MN 56036
	David Johnson	87415 130 <sup>th</sup> St Glenville, MN 56036



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Lynae Dahlum	13969 810 <sup>th</sup> Avenue Glenville, MN 56036
	DEAN DAHLUM	13969 810 <sup>th</sup> AVE GLENVILLE MN 56036
	Carter Dahlum	13969 810 <sup>th</sup> Ave Glenville MN 56036
	Dawson Dahlum	13969 810 <sup>th</sup> Ave Glenville MN 56036
	Gwen Nelson	16145 850 Ave Glenville MN 56036
	Michael Nelson	16145 850 <sup>th</sup> Ave Glenville mn 56036

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/A1-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Kim Woitas	80418 215 <sup>th</sup> St Hayward, MN 56043
	Galen Berg	88500 225 <sup>th</sup> St Oakland MN 56007
	Ross Knutson	22631 770th Ave Albert Lea 56007
	Dylan Tischer	22082 890th Ave Albert Lea, MN 56007
	Dan Koruyta	425 South Broadway, Wells, MN 56097
	Dylan Johnson	26133 665 <sup>th</sup> Ave Alder, MN 56009

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements FOR environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Eric Hulbut	1702 Sunset St Albert Lea, MN, 56007
	DARIN NELSON	3918 5th AVE. AUSTIN, MN 55912
	Steven Wencil	1803 Knoll Dr. Albert Lea, MN 56007
	Jason Laake	913 Cedar Ave Albert Lea MN 56007
	Jon Anderson	509 Edgewood Ave Albert Lea MN 56007
	Justin Antinson	2006 Bayview Dr Albert Lea MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org




We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Eric Battelson	85726 140thst Glenville MN 56036
	Villian Tweld	20020 816TH Ave Hayward MN 56013
	David Overland	2024 Capital Ln. Albert Lea Mn. 56017
	DAN PETERSEN	86344 225TH ST. OAKLAND, MN 56007
	Tim Hensche	354 E. Main St. Alden, MN 56009
	Drew Claussen	210 E Hawthorne St Albert Lea, MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org




We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Lane L. Davis	87002 State Line Rd. Genville, MN 56036
	SHARON M. DAVIS	87002 State Line Rd Genville, MN 56036
	Clarice Davis	10873 860th Ave. Genville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Michelle Jacobsen	80625 River Road, Glenville, MN 56036
	Stephanie M Larson	211 Main St., Hayward MN. 56043
	Travis Jacobsen	80625 River Road, Glenville, MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org





We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required, Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Deke Reeber	79841 170 <sup>th</sup> St Glenville, MN 56026
	Tim Westrum	16684 710 <sup>th</sup> Ave Albert Lea, MN 56007
	Chuck Thimmesh	16971 810 <sup>th</sup> Ave Glenville MN 56036
	Edward D. Bastyr	P.O. Box 321 Clarissa, MN 56440
	Norma Rasmussen	80636 River Rd Glenville mn 56036
	Scott Rasmussen	80636 River Rd Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org




We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/A1-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Irene Nelson	82204 130 <sup>th</sup> St. Glenville, MN 56036
	BRADLEY D. NELSON	82204 130 <sup>th</sup> St Glenville, MN 56036
	KARA HENEMANN	13752 820 <sup>th</sup> AVE. GLENVILLE, MN. 56036
	KARA HENEMANN	13752 820 <sup>th</sup> AVE GLENVILLE MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freebom County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freebom Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freebom Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the Energy Forward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freebom project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been efiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**






Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Jadelyn Williamson	82651 150 <sup>th</sup> St Glenville, MN 56036
	Steve Heideman	82651 150 <sup>th</sup> St Glenville, MN 56036
	Steve Heideman	82651 150 <sup>th</sup> St Glenville, MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
 1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Kelly Medson	450 2nd Ave. SW. Glenville, MN 56036
	Robin Haines	77600 150th AL. 56007
	Robert Nessel	1201st St SE Glenville MN 56036
	Carey Bargent	70288 220th st Albert Lea MN 56007
	Roman Caron	14941 750th Ave Glenville 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Sue Madson	14806 830th Ave. Glenville, Mn. 56036
	Miranda Arkells	14806 830th Ave. Glenville, Mn. 56036
	Danielle Madrigal	14806 830th Ave. Glenville, MN. 56036
	John Madson	14804 830th Ave Glenville MN 56036
	Dominic Madrigal	14806 830th ave Glenville MN 56036
	Lindsey Madson	1314th PL SE Glenville MN 56036

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**






Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Jeremy J Ringoer	1321 Crestview Rd A.L. MN 56007
	Stacie Jacobs	174910 750 <sup>th</sup> Ave. A. 564 MN 56007
	Steve Lee	320 Meredith Rd A.L. MN 56007
	Julie Wilk	1361 Frank Ave AL MN 56007
	Shane Walk	420 Vista Villa Ct. Waseca MN 56093
	Chance Palmer	78513 160th St. Albert Lea MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	DAVID A MADSON	311 3rd Ave NW, Glenville
	Chad Law	89972 145th St Glenville, MN 56036
	Taylor Atz	480 center ave S Glenville, MN 56036
	Runette Madson	211-3rd Ave NW Glenville MN 56036
	Terry Williamson	331 3rd Ave NW Glenville MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Brenda Bangs	83760 110 <sup>th</sup> St Glenville 56036
	Jennifer Breitman	PO BOX 152 Glenville, MN 56036
	Tanner Kalvig	631 Center Ave S Glenville MN 56036
	SHANE MATTER	540 1ST AVE SW Glenville MN 56036
	Ed Williamson	330 2 <sup>nd</sup> Ave NW Glenville MN 56036
	Matt Williams	221 East main St. Glenville mn 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Jennica Haines	8044 320th St Ellendale MN 56024
Dillon Madson ↔ 	Dillon Madson	8044 320th St Ellendale MN 56026
	Cindy Jensen	18177 536 Ave Austin MN 55912
	Sarah Stueven	1007 Bridge Ave. Albert Lea, MN 56007
	Dennis Jensen	18177 536 Ave Austin MN 55912
	Brooke Salvi	450 2nd St. SW Phoenix Park MN 55917



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/A1-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Michelle Gordon	1060 W 11th St, Albert Lea, MN 56007
	Leslie Millhouse	114 The Fairway Albert Lea, mn 56007
	Brian Hoessig	810 14 Ave SE Austin Mn 55912
	John D Horubeger	840 Center Ave S GLENVILLE, MN 56036
	JON HANSEN	15598 CR 3 ELLENDALE MN 56026
	Adam Brewer	76307 150th St. Albert Lea MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	HEATHER PATER	83354 140th St Glenville MN 56030
	Justin Pater	83354 140th St Glenville MN 56036
	Harold Verdoorn	2409 13th St SW Austin MN 55912
	Heather Bower	<del>100</del> 911 13th Ave NW - Austin MN 55912
	Joe Merten	50587 195th St Austin MN 55912
	Jill Merten	50587 195th St Austin MN 55912

## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Spencer Kral	14335 860 Ave Glenville, MN 56036
	Spencer Dunn	107 1st Ave Myrtle, MN 56036
	Brianne Lundmark	107 1st Ave Myrtle, MN 56036
	Beth Hajek Nelson	933 Trellis St. Jordan, MN 56352
	ARLENE HAJEK	88915 145 <sup>th</sup> St. Glenville, MN 56036
	Sheila Nelson	85826 157 <sup>th</sup> Glenville MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Mike Salinas	440 2nd St. SW Blooming Prairie MN 55917
	Justice Haines	520 center Ave S Glenville MN 56036
	Pete Berglund	491 1st Ave SW Glenville MN 56036
	Kenny Lawson	202 Albert St. Myrtle, Minn 56036
	MICHAEL STEENE	140 <sup>th</sup> AVE N.W. GLENVILLE MN 56036
	Lori Medse	450 <sup>th</sup> Ave SW Glenville, MN

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Laurie D. Lundmark	P.O. Box 203 Kelliher, MN 56650
	Ryan Palumbo	86952 180th St Austin MN 55912
	Tiffany Palumbo	86952 180 St Austin MN 55912
	Doug Chris	16331 840 Ave Glenville MN 56036
	Derek Nelson	933 Trellis St. Jordan, MN 55352
	Timothy Lau	1903 6th Ave SW Austin MN 55912



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Bruce Dempewolf	1025 Dunham St Albert Lea mn 56007
	Seth Hanson	30442 128th St. Waseca MN 56095
	JOSH ELLINGSON	502 GRACE ST ALBERT LEA, MN 56007
	David D. Mulgo	64415 270th ST. ALDEN, MN 56009
	Dan DeHoff	1108 Bridge Av Albert Lea mn 56007
	Dennis D Schmitt	416 W FOUNTAIN ST ALBERT LEA, MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Aaron Cech	85232 180 <sup>th</sup> St Glenville, MN 56036
	Tamera Cech	85232 180 <sup>th</sup> St. Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Travis Register	12 Burr Oak Alder Ln, MN 56007
	Doug Reindl	26893 775 Ave Clarks Grove MN 56016
	Jeremy Knutsen	77042 135th & Glenville MN
	ERIC ANDERSON	409 CRESCENT DR A.L. MN 56007
	MIKE JELLINGER	13606 735 AVE GLENVILLE MN 56036
	Zachary Peterson	19492 650th Ave Alder MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	BARBARA A. STUSSY	14884-420 <sup>th</sup> ST., ZUMBROTA, MN 55992
	DANIEL J. STUSSY	14884-420 <sup>th</sup> ST., ZUMBROTA, MN 55992




**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	THOMAS BEHREND'S	78739 320 <sup>TH</sup> AVE, WORTHINGTON, MN 56187
	Travis Behrends	78739 320 <sup>TH</sup> Ave, Worthington, MN 56187





Luigi Bertoldi	Dante Bertoldi	1904 1905
Giovanni Bertoldi	Luigi Bertoldi	1906 1907
		1908 1909



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Connie Janssen	33532 770th ST Worthington MN 56187
	Merle JANSSEN	33532 770th Street Worthington MN 56187







**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
	Kristi Rosenquist	42883 228 <sup>th</sup> Avenue, Mazeppa, MN 55956
	Bob Rosenquist	42883 228 <sup>th</sup> Avenue, Mazeppa, MN 55956



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	GREG HARTMANN	785 87 <sup>th</sup> LN NE BLAINE MN 55434
	SHERRIE HARTMANN	785-87 <sup>th</sup> Lane NE Blaine Mn 55434
	SANDY FISCHER	8727 Lincoln St NE Blaine MN 55434
	Jay Birke land	1983 -110 <sup>th</sup> Red Wing Blvd MN 55449
	MARTY LINDQUIST	305 89 <sup>th</sup> Ave Blaine 55434
	JERI LINDQUIST	" " "



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Phillip E Herman	9001 Washington St. NE. Blaine MN 55434
	Corinne Marker	3668 Coon Rapids Blvd. Coon Rapids, MN 55433
	Linda Herman	9001 Washington St NE, Blaine MN 55434
	Diane Kelly	6313 Unity Ave N Brooklyn Ctr MN 55429
	Daniel Eck	17215 211 <sup>th</sup> Ave NW Big Lake MN 55309
	Patti Myers	401 N 13 <sup>th</sup> Ave. Princeton Mn. 55371

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
 1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
<i>Keith Goodin</i>	Keith Goodin	4863 Stoneridge Dr, Monticello MN 55362



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the Energy Forward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Lisa Hajek	81638 150 <sup>th</sup> St Glenville, MN 56036
	Ryan Hajek	81638 150 <sup>th</sup> St Glenville, MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
 1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
<i>Marcy J. Hamberg</i>	Marcy J. Hamberg	7641 Alden Way NE, Fridley, MN 55432
<i>Kurt P. Hamberg</i>	KURT P. HAMBERG	7641 ALDEN WAY, NE FRIDLEY MN 55432



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Marie McNamara	35815 165 <sup>th</sup> Ave. Goodhue, MN 55027
	Bruce McNamara	35815 165 <sup>th</sup> Ave. " " "
	Steve McNamara	34699 165 <sup>th</sup> Ave Way Goodhue MN 55027
	Helen McNamara	34699 165 <sup>th</sup> Ave Way, Goodhue, MN 55027
	Anthony McNamara	34699 165 <sup>th</sup> Ave Way, Goodhue MN 55027
	Blair McNamara	35815 165 <sup>th</sup> AVE Goodhue, MN 55027



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**






<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
<i>Kevin Wenninger</i>	Kevin Wenninger	29770 State Hwy 15 Winthrop, MN 55396
<i>Barb Wenninger</i>	Barb Wenninger	29770 State Hwy 15 Winthrop, MN 55396
<i>Morgan Wenninger</i>	Morgan Wenninger	29770 State Hwy 15 Winthrop, MN 55396



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org



We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Mike McMonigal	8520 85 <sup>th</sup> Ave #12 Clear Lake, MN 55319
	RICHARD H DRUDE	600 HASTINGS AV ST PAUL PARK MN 55071
	DAWN RASSETT	" " " "
	Roger Halverson	1110 Wood Park Ln Albert Lea, MN 56007
	Arlyce Halverson	1110 Wood Park Ln, Albert Lea, MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
	Carol A. Overland	1110 West Ave., Red Wing, MN 55066
	Alan J. Mueller	1110 West Ave Red Wing, MN 55066



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Laurie D. Lundmark	P.O. Box 203 Kelliher, MN 56650
	Ryan Palumbo	86952 180th St Austin MN 55912
	Tiffany Palumbo	86952 180 St Austin MN 55912
	Doug Chris	16331 840 Ave Glenville MN 56036
	Derek Nelson	933 Trellis St Jordan, MN 55552
	Timothy Lau	1903 6th Ave SW Austin MN 55912



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org



We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Bruce Dempewolf	1025 Dunham St Albert Lea mn 56007
	Seth Hanson	30442 128th St. Waseca MN 56095
	JOSH ELLINGSON	502 GRACE ST ALBERT LEA, MN 56007
	David D. Mulgo	64415 270th ST. ALDEN, MN 56009
	Dan DeHoff	1108 Bridge Av Albert Lea mn 56007
	Dennis D Schmitt	416 W FOUNTAIN ST ALBERT LEA, MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org







We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act, Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA, Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Aaron Cech	85232 180 <sup>th</sup> St Glenville, MN 56036
	Tamera Cech	85232 180 <sup>th</sup> St. Glenville, MN 56036

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project." An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Travis Register	12 Burr Oak Alder Ln, MN 56007
	Doug Reindl	26893 775 Ave Clarks Grove MN 56016
	Jeremy Knutsen	77042 135th & Glenville MN
	ERIC ANDERSON	409 CRESCENT DR A.L. MN 56007
	MIKE JELLINGER	13606 735 AVE GLENVILLE MN 56036
	Zachary Peterson	19492 650th Ave Alder MN 56007



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	BARBARA A. STUSSY	14884-420 <sup>th</sup> ST., ZUMBROTA, MN 55992
	DANIEL J. STUSSY	14884-420 <sup>th</sup> ST., ZUMBROTA, MN 55992




**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	THOMAS BEHREND'S	78739 320 <sup>TH</sup> AVE, WORTHINGTON, MN 56187
	Travis Behrends	78739 320 <sup>TH</sup> Ave, Worthington, MN 56187





Luigi Bertoldi	Dante Bertoldi	1904 1905
Giovanni Bertoldi	Anna Bertoldi	1906 1907
		1908 1909



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Connie Janssen	33532 770th ST Worthington MN 56187
	Merle JANSSEN	33532 770th Street Worthington MN 56187







**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
	Kristi Rosenquist	42883 228 <sup>th</sup> Avenue, Mazeppa, MN 55956
	Bob Rosenquist	42883 228 <sup>th</sup> Avenue, Mazeppa, MN 55956



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	GREG HARTMANN	785 87 <sup>th</sup> LN NE BLAINE MN 55434
	SHERRIE HARTMANN	785-87 <sup>th</sup> Lane NE Blaine Mn 55434
	SANDY FISCHER	8727 Lincoln St NE Blaine MN 55434
	JAY BIRKELAND	1983-110 <sup>th</sup> Red Wing Blvd MN 55449
	MARTY LINDQUIST	305 89 <sup>th</sup> Ave Blaine 55434
	JERI LINDQUIST	" " "



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Phillip E Herman	9001 Washington St. NE. Blaine MN 55434
	Corinne Marker	3668 Coon Rapids Blvd. Coon Rapids, MN 55433
	Linda Herman	9001 Washington St NE, Blaine MN 55434
	Diane Kelly	6313 Unity Ave N Brooklyn Ctr MN 55429
	Daniel Eck	17215 211 <sup>th</sup> Ave NW Big Lake MN 55309
	Patti Myers	401 N 13 <sup>th</sup> Ave. Princeton Mn. 55371

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
 1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**



Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
<i>Keith Goodin</i>	Keith Goodin	4863 Stoneridge Dr, Monticello MN 55362



## PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
 1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated a adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the Energy Forward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Lisa Hajek	81638 150 <sup>th</sup> St Glenville, MN 56036
	Ryan Hajek	81638 150 <sup>th</sup> St Glenville, MN 56036



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**







Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
<i>Marcy J. Hamberg</i>	Marcy J. Hamberg	7641 Alden Way NE, Fridley, MN 55432
<i>Kurt P. Hamberg</i>	KURT P. HAMBERG	7641 ALDEN WAY, NE FRIDLEY MN 55432



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Marie McNamara	35815 165 <sup>th</sup> Ave. Goodhue, MN 55027
	Bruce McNamara	35815 165 <sup>th</sup> Ave. " " "
	Steve McNamara	34699 165 <sup>th</sup> Ave Way Goodhue MN 55027
	Helen McNamara	34699 165 <sup>th</sup> Ave Way, Goodhue, MN 55027
	Anthony McNamara	34699 165 <sup>th</sup> Ave Way, Goodhue MN 55027
	Blair McNamara	35815 165 <sup>th</sup> AVE Goodhue, MN 55027



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details **application** requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**






<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
<i>Kevin Wenninger</i>	Kevin Wenninger	29770 State Hwy 15 Winthrop, MN 55396
<i>Barb Wenninger</i>	Barb Wenninger	29770 State Hwy 15 Winthrop, MN 55396
<i>Morgan Wenninger</i>	Morgan Wenninger	29770 State Hwy 15 Winthrop, MN 55396



**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org



We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. *Id.*, see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

Signature	Print Name CLEARLY	FULL mailing address, city, state and zip code
	Mike McMonigal	8520 85 <sup>th</sup> Ave #12 Clear Lake, MN 55319
	RICHARD H DRUDE	600 HASTINGS AV ST PAUL PARK MN 55071
	DAWN RASSETT	" " " "
	Roger Halverson	1110 Wood Park Ln Albert Lea, MN 56007
	Arlyce Halverson	1110 Wood Park Ln, Albert Lea, MN 56007

**PETITION FOR ENVIRONMENTAL ASSESSMENT WORKSHEET**

**Petitioners' Representative:** Carol A. Overland, Attorney for Association of Freeborn County Landowners (AFCL)  
1110 West Avenue, Red Wing, MN 55066 overland@legalelectric.org

We, the undersigned, under Minn. R. 4410.1100, Subp. 3(b), Petition the Environmental Quality Board, and ask that a Discretionary Environmental Assessment Worksheet (Minn. R. 4410.4500) be completed regarding Freeborn Wind, LLC, a "project" as defined by Minn. R. 4410.0200, Subp. 58. The Freeborn Wind project is not exempted under Minn. R. 4410.4600. As an electric generating facility over 50 MW, a mandatory EAW and EIS is required. Minn. R. 4410.4300 and Minn. R. 4100.4400. Minn. Stat. §216F.05(4) mandated adoption of rules for Large Wind Energy Conversion Systems (LWECS) including "requirements for environmental review of the LWECS," but no requirements **FOR** environmental review of LWECS were adopted. Wind projects have historically evaded and avoided environmental review. Minn. R. 7854.0500, Subp. 7 details application requirements: "*The analysis of the environmental impacts required by this subpart satisfies the environmental review requirements of chapter 4410, parts 7849.1000 to 7849.2100, and Minnesota Statutes, chapter 116D. No environmental assessment worksheet or environmental impact statement shall be required on a proposed LWECS project.*" An application is not environmental review or Alternative Review under Minn. Stat. §116D.04, Subd. 4a; Minn. R. 4410.3600, Subp. 1 or 2. Under MEPA, the Commission must consider environmental consequences when deciding whether to issue a permit. Id., see also *In the Matter of Minnesota Power's Petition for Approval of the EnergyForward Resource Package*, p. 5-6, A19-0688, A19-0704, PUC Docket E015/AI-17-568 (December 23, 2019). Information provided by applicant does not constitute environmental review under MEPA. An EAW is essential, and this Petition is filed at this late stage because AFCL's Motion/Petition for EIS (motion practice, not a Minn. R. 4410 Petition) was denied December 19, 2019. There are no LWECS siting rules and no LWECS-specific siting standards, only small wind standards. The Commission has also disregarded the public process mandate of the Power Plant Siting Act. Minn. Stat. §216E.08. There has been no public hearing or contested case regarding the voluminous Xcel Energy application (8/20/2019) and compliance filings (11/8/2019 and 12/6/2019) proposing larger, noisier turbines, in particular no public process regarding new noise modeling using a 0.5 ground factor input after prior modeling with 0.0 ground factor could not demonstrate compliance with state noise standards. The Commission has notice that use of 0.5 ground factor is not appropriate for modeling noise, which raises questions of likely compliance with MPCA's noise standard (Minn. R. 7030.0400). New shadow flicker modeling shows 6 or more homes receiving over 30 hours annually. Other environmental impacts are addressed in supporting material evidence, attached. Environmental review is required by MEPA. Minn. Stat. §116D.03, Subd. 2; Minn. Stat. §116D.04, Subd. 2a. The Freeborn project, presents substantive environmental impacts, including noise and shadow flicker, aesthetic and visual, wildlife, and socioeconomic impacts of decreased property marketability and valuation. All governmental permits have not yet been granted. Minn. R. 4410.4600, Subp. 2(B). The PUC has deliberated and made its decision and as of 12/24/2019 the Order has not been eFiled. Some of the permits not yet granted include Township OS & OW permits; County Utility Permit, County Access Permit. See permit list, App. p. 111-113 (20176-132804-01). Construction may not begin and additional permits may not be issued until the issues raised by this Petition have been settled. Minn. R. 4410.3100, Subp. 1. This Petition and supporting material evidence demonstrates that because of the nature and location of the project there is potential for significant environmental effects. **We the undersigned ask that the EQB refer this Petition and supporting material evidence to the Public Utilities Commission as RGU and that an EAW be completed to determine whether an Environmental Impact Statement is necessary.**

<b>Signature</b>	<b>Print Name CLEARLY</b>	<b>FULL mailing address, city, state and zip code</b>
	Carol A. Overland	1110 West Ave., Red Wing, MN 55066
	Alan J. Mueller	1110 West Ave Red Wing, MN 55066